



INDEX MAPS.

T.3 N R.2 W **2nd** Mer.



T. 4 N _____ **R. 2 W** _____ **2nd** Mer.



Township N^o. 4 North Range N^o. 2 West 2nd Mer. (Ind.)
ch. ch.

South Boundary

West On a Random line in the South Boundary of sec. 36. T.
N^o. 4 N.W. N^o. 2 P.P.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 Set a temporary post for the cor. to Sec. 35, S. 36. T. N^o.
4. N.W. N^o. 2 P.P. This runs over hilly land; tim-
ber Buck, Langur, Oak, Hickory.

West On a Random line on the South Boundary of sec. 35
T. N^o. 4 N.W. N^o. 2 P.P.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 " " " " " " Sec. 34 & 35. T. N^o.
4. N.W. N^o. 2 P.P. Sandy soil to some as in the
last mile; N.Y. Elm, Oak, Dogwood, etc.

West On a Random line on the South Boundary of sec. 34.
T. N^o. 4. N.W. N^o. 2 P.P.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 " " " " " " Sec. 33 & 34. T.
N^o. 4. N.W. N^o. 2 P.P. Sandy soil and timber same

West On a Random line on the South Boundary of sec. 33. T.
N^o. 4. N.W. N^o. 2 P.P.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 " " " " " " Sec. 32, S. 33. T. N^o.
4. N.W. N^o. 2 P.P. Sandy soil timber as similar
to the last mile; Hilly.

West On a Random line on the South Boundary of sec. 32. T.
N^o. 4. N.W. N^o. 2 P.P.

15.00 Take Brook 12 miles mid course S. P.P.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.00 " " " " " " for the cor. to Sec. 31, S.
32. T. N^o. 4. N.W. N^o. 2 P.P.

84.50 Fell South of the cor. established for the cor. to Sec.
31, S. 32. T. N^o. 4. N.W. N^o. 2 P.P. For the remainder of this
Boundary see end of S. Boundary.

J. N° 4. N.R. N° 277^o 2nd Mar. (Ind.)

Sands Hill made timber same as on the last mow.

- East On the true line from the cor. of sec. 31 & 32 J. N° 4.
N.R. N° 277^o Var. 6.00'
4.50 Set a post at the exact distance of 5 miles from the
East Boundary of the Township. From the cor. to Sec.
31 & 32 J. N° 4 N.R. N° 277^o from which a
W. Oak 20 in. dia has N10 E. 6 miles west; to
Buck 20 in. n n n N55 E. 10 in. n

- East On the true line on the South Boundary of sec. 32. J. N°
4. N.R. N° 277^o
4.00 Set the timber post on the true line for the cor. to 1/4 sec.
from which a Buck 10 in. dia has S27 W. 27 miles west; to
W. Oak 20 in. dia has S54 W. 31 miles west; &
8.00 In a sugar 10 in. diam. which stands for the cor. to
Sec. 32 & 33 J. N° 4. N.R. N° 277^o

- East On the true line on the South Boundary of sec. 33. J. N°
4. N.R. N° 277^o
4.00 Set the timber post on the true line for the cor. to 1/4 sec.
from which a Buck 28 in. dia has S23 W. 43 miles dist.
and a sugar 12 in. n n N17^o 8 in. n
8.00 Set the timber post on the true line for the cor. to Sec.
33 & 34. J. N° 4. N.R. N° 277^o from which a
Dogwood 6 in. dia has N57 E. 10 miles west; to
Ho 6 in. n n S74 W. 10 in. n

- East On the true line on the South Boundary of sec. 34. J. N° 4.
N.R. N° 277^o
4.00 Set the timber post on the true line for the cor. to 1/4 sec.
from which a Buck 10 in. dia has S37 W. 15 miles dist.
and a W. Oak 24 in. dia has N11 W. 22 in. n
8.00 Set the timber post on the true line for the cor. to Sec 34
& 35. J. N° 4. N.R. N° 277^o from which a
Buck 10 in. dia has S62 E. 37 miles west; to

T. N^o 4. R.R. N^o 2 77² 2nd Mer. Ind.

Buck 6 in. dia. tree 316 ft. 18 miles north;

East On a true line with South Boundary of sec. 35. T. N^o 4.
R.R. N^o 2 77.

- 40.00 Set the temporary post on the true line for the cor. to 1/4 ac.
from which a Buck 10 in. dia. tree N 57 E. 28 miles dist.
made a W. Walnut 6 in. n. - 310 ft. 20 n. -
81.00 To a Sycamore on the true line 20 in. dia. Stand for
the cor. to sec. 35 & 36. T. N^o 4. R.R. N^o 2 77.

East On the true line on the South Boundary of sec. 36. T. N^o 4.
R.R. N^o 2 77.

- 40.00 Set the temporary post on the true line for the cor. to 1/4 ac.
from which a W. Oak 10 in. dia. tree S 76 E. 33 miles dist.
made a Sugar 8 in. n. - N 4 E. 14 n. -
80.00 To the S.E. cor. of T. N^o 4. R.R. N^o 2 77.

East Boundary.

- North On the East Boundary of sec. 36. T. N^o 4. R.R. N^o 2 77.
40.00 Set a post for the cor. to 1/4 ac. from which a
W. Oak 10 in. dia. tree S 76 E. 33 miles dist.
made a Sugar 8 in. n. - N 4 E. 14 n. -
Over very hilly brushy land; some Dogwood,
Ash, & Birch.

North On the East Boundary of sec. 25. T. N^o 4. R.R. N^o
2 77. 2nd Mer.

- 3.75 Is a W. Oak 10 in. dia. made in the line.
40.00 Set a post for the cor. to 1/4 ac. from which a
W. Oak 30 in. dia. tree S 36 E. 20 miles dist.; r.w.
Buck - n. n. y. N 18 W. 11 n. -
80.00 Set a post for the cor. to sec. 24. 195. T. N^o 4. R.R.
N^o 2 77. from which a W. Oak 12 in. dia. tree S 24 W.
35 miles dist.; r.w. Sugar 10 in. dia. tree Smith 10 miles

I. N. H. N. R. N. 277. 2nd Mr. Ind.

Over very good farming land; timber Sugar, Oak,
Pine, etc. W. S. Spiv.

North On the East Branch of the 24. I. N. H. N. R. N.
277. 2nd Mr. Ind.

6.90 To a house 20 m. in distance in the briar.

4.000 Got a post for the car. to 1/4 mi. from which a
factory 8 m. in line \$3577. 27 miles dist; to
Bush 13 m. n. n. N36°N. 24 m. n.

81.00 Got a post for the car. to Ls. 13 & 24. I. N. H. N. R.
N. 277. From which a
house 10 m. in line \$6177. 25 miles dist; and a
Brye 10 m. n. n. N37°N. 15 m. n.
Land soil and timber same as in the last mile.

North On the East Branch of the 13. I. N. H. N. R. N. 277.
40.00 Got a post for the car. to 1/4 mi. from which a
Bush 15 m. in line \$18E. 40 miles dist; to
Grap 20 m. n. n. S41°W. 15 m. n.

81.00 Got a post for the car. to Ls. 12 & 13. I. N. H. N. R.
N. 277. 2nd Mr. From which a
Bush 10 m. in line N86°W. 26 miles dist; and an
Elm 12 m. n. n. N57°W. 30 m. n.
Land soil and timber same as in the last mile.

North On the East Branch of the 13. I. N. H. N. R. N. 277.
40.00 Got a post for the car. to 1/4 mi. from which a
W. Walnut 10 m. in line \$5E. 27 miles dist; to
D. L. 10 m. n. n. S84°W. 15 m. n.

81.00 Got a post for the car. to Ls. 14 & 13. I. N. H. N. R. N.
277. 2nd Mr. From which a
Bush 6 m. in line \$6E. 13 miles dist; and an
Elm 20 m. n. n. S10°W. 19 m. n.
Land soil and timber same as in the last mile.

North On the East Branch of the 13. I. N. H. N. R. N. 277.

T. N° 4. M.R. N° 2. pp. 2nd Mar. (Ind.)

165

- 40.00 Set apart for the cor to Jeau. from which a
Buck 6 in. dia. has \$36.85 hicks dish; and a
Do 6 " " " \$37.12 29 " "
63.50 To a Pyramide 23 in. dia stands for the cor. on the
Left Bank of White River.
72.95 To a Buck 10 in dia stands for the cor. on the Rt. Bk
of White River
80.00 Set apart for the cor. to Tome N° 4. 4 & 5.5. Range
N° 1 & 2 Y.P. from which a
Buck 20 in. dia. has \$1077.37 hicks dish; and a
Do 6 " " " \$568.11 " "

North Boundary

- West On Random line on the Smith Town N.Y. of sec. 36. T. No.
5 N.Y. R. No. 277.
20.00 From Bank of White River
40.00 Set a campy post for the cor. on 1/4 sec.
80.00 n n n n n n n n Sec. 35 T. No.
5 N.Y. R. No. 277. Land rich and nothing; Smith
Buck, Sugar, & Poplar.

- West On a Random line in the Smith Branches of sec. 34
I N. 5 T. R. N. 2 M.
40.00 Set the temporary post for the cor. to 1/4 sec.
65.00 In a Brook 20 links wide, come Smith.
80.00 Set a temporary post for the cor. to sec. 33 & 34 I M.
3 N. R. N. 2 M. Lands bushy, timber same:

- West On a Random line on the South Boundary of Sec. 33.
S. No. 5 T. R. No. 2777

11 N° 4 N.R. N° 2772 2nd Mer (Ind.)

- 11.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 Set a n n n n n a sec. 32. 133.
 1 N° 5 N.R. N° 2772 Lands soil and timber
 same as on the last mile.

West On a Random line on the South Boundary of sec. 30
 1 N° 5 N.R. N° 2772

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 n n n n n a sec. 31 & 32.
 1 N° 5 N.R. N° 2772 Soil thin very thin.
 brushy; Elm Oak & Hickory

West On a Random line on the South Boundary of sec. 31
 1 N° 5 N.R. N° 2772

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 75.72 Intersects the N.E.S line South of the farm cor.
 Lands rolling timber same.

East On the true line on the South Boundary of sec. 31
 1 N° 5 N.R. N° 2772

- 35.72 Set the temporary post on the true line for the cor. to 1/4 sec.
 from which an Elm 10 in dia. tree \$42 E. 34 links
 nish; and a Buck 10 " " \$80 W. 16 "
- 75.72 Set the temporary post on the true line for the cor. to sec.
 31 & 32 1 N° 5 N.R. N° 2772 From which a
 Buck 6 in dia. tree \$71 W. 18 links nish; &
 W. Oak 12 " " \$80 W. 16 " "

East On the true line on the South Boundary of sec. 32
 1 N° 5 N.R. N° 2772

- 40.00 Set the temporary post on the true line for the cor. to 1/4 sec.
 from which a sugar 12 in dia. tree \$60 E. 14 links nish;
 and a Gum 12 in dia. tree \$10 E. 23 " "
- 80.00 Set the temporary post on the true line for the cor. to sec.
 32 & 33 1 N° 5 N.R. N° 2772 From which a
 Sugar 12 in. dia. tree \$35 E. 29 links nish; & w.

J. N. & N.R. No 277. 2nd Mer. (Ind.)
Sugar 12 in dia bears \$3577.16 miles dist;

East On the tree line on the South Boundary of sec. 33 S.
No. 5 N.R. No 277.
40.00 To a Beech 12 in. dia. stands for the cor. to 1/4 sec.
Set the temporary post on the tree line for the cor. to sec.
33 & 34. J. N. 5 N.R. No 277. from which a
Beech 12 in. dia. bears \$1448.17 miles dist; and a
Pine 5 in. dia. \$7077.9 n n

East On the tree line on the South Boundary of sec. 34 S.
No. 5 N.R. No 277.
40.00 Set the temporary post on the tree line for the cor. to sec.
from which a Beech 8 in. dia bears \$668.12 miles dist
and a Do 8 in. dia. \$148.9 n n
80.00 Set the temporary post on the tree line for the cor. to
sec. 34 & 35. J. N. 5 N.R. No 277. from which a
Beech 8 in. dia. bears \$3377.5 miles dist; and a
Do 8 in. dia. \$248.22 n n

East On the tree line on the South Boundary of sec. 35. J. N.
5 N.R. No 277. 2nd Mer.
40.00 Set the temporary post on the tree line for the cor. to 1/4 sec.
from which a Beech 8 in. dia bears \$548.14 miles dist;
and a Do 10 in. dia. \$608.14 n n
80.00 Set the temporary post on the tree line for the cor. to sec.
35 & 36. J. N. 5 N.R. No 277. from which a
Beech 18 in. dia. bears \$577.12 miles dist; and a
Do 10 in. dia. \$188.20 n n

East On the tree line on the South Boundary of sec. 36. J. N.
5 N.R. No 277.
40.00 Set the temporary post on the tree line for the cor. to 1/4 sec.
from which a Sugar 10 in. dia bears \$888.35 miles dist
and a Do 12 in. dia. \$5677.17 n n
Is the post set for the cor. to J. N. 4. H. & S. 5. N. 1+277.

I. N. 4. N. R. N. 2 W. 2nd Mer. (Ind.)

West Boundary

- North On the East Boundary of sec. 36. I. N. 4. N. R. N. 3rd
 40.00 To the Old $\frac{1}{4}$ sec. cor.
 66.50 To a tree 12 in. dia. Stand in the bri.
 80.00 Set a post for the cor. to sec. 25.136. I. N. 4. N. R.
 N. 3 W. From which a
 Beach 10 in. dia tree S 87° W. 43° briske dist; to
 Do. 12 n n n South 27 n n

- North On the East Boundary of sec. 25. I. N. 4. N. R. 3rd
 27.00 To a tree 10 briske dist; South 97°
 40.00 Set a post for the cor. $\frac{1}{4}$ sec. From which a
 H. Oak - in dia. tree S 62° E. 6 briske dist; two
 Dogwoods 6 n n n N 15° E. 9 n n
 58.00 Set a post in the left Bank of White River. From
 which a H. Ash 10 in dia. tree S 57° W. 19° briske dist;
 mulga Sugar 10 n p n N 51° E. 17 n n
 Sandstone along the last mile. Book II
 63.86 To a H. Ash 20 in dia Stand in the R. Bank
 of White River.
 80.00 Set a post for the cor. to sec. 24. & 25. I. N. 4. N. R.
 N. 3 W. From which a
 Beach 12 in dia tree S 10° E. 23° briske dist; to
 Sycamore 60 n n n North 8 n n

- North On the East Boundary of sec. 24. I. N. 4. N. R. N. 3rd
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
 Dogwood 6 in. dia tree S 41° W. 6 briske dist; to
 Beach 12 n n n East 5 n n
 44.00 Set a post on the R. Bank of White River for the
 cor. to sec. 24. I. N. 4. N. R. N. 3 W. From which a
 Sycamore 8 in. dia. tree S 16° W. 17° briske dist; to
 76.00 Set a post in the R. Bank of White River. For the
 cor. to sec. 24. I. N. 4. N. R. N. 3 W. of which a
 Walnut 10 in. dia. tree S 72° W. 19° briske dist; to
 Hickory 6 n n n N 40° E. 15 n n

J. N. H. A. R. No. 2 W. 2nd Mar. (cont'd)

80.00 Set a post for the cor. to sec. 13 & 24 J. N. H. A. R. No. 3 W.
from which a Buck 10 in dia. bears South 11 miles dist
and a Do 10 in dia. bears N 15 E 13 in -
Sand soil; Tintu Buck, Sago, & Pepper.

North On the East Boundary of sec. 13 J. N. H. A. R. No. 3 W.
33.45 To a Buck 20 in dia. stands in the line.
40.00 Set a post for the cor. to sec. 12 & 13 J. N. H. A. R.
No. 3 W. from which a
Buck 12 in. dia. bears S 11 E 17 miles dist; and a
Do 9 " " M 1 E. 16 in -
80.00 Set a post for the cor. to sec. 12 & 13 J. N. H. A. R.
No. 3 W. from which a
Sugar 10 in. dia. bears S 27 W. 39 miles dist; and a
Buck 12 in. dia. bears N 12 W. 30 in -
Sand hilly; timber same as in the last mile.

North On the East Boundary of sec. 12 J. N. H. A. R. No. 3 W.
40.00 Set a post for the cor. to sec. 14 sec. from which a
W. Oak 10 in. dia. bears S 47 E. 13 miles dist; and a
Do 18 in. dia. S 62 W. 11 in -
61.60 To a W. Oak 20 in dia. stands in the line
80.00 Set a post for the cor. to sec. 14 & 13 J. N. H. A. R. No. 3
W. 2nd Mar. from which a
W. Oak 5 in. dia. bears S 31 E. 6 miles dist; and a
Do 5 " " N 89 W. 10 in -
Sand hilly; Tintu Oak, Kechi, some Pepper & Buck

North On the East Boundary of sec. 1 J. N. H. A. R. No. 3 W.
5.50 To a Buck 18 in. dia. stands in the line.
40.00 To a Buck 10 in. dia. stands for the cor. to sec. 14 sec.
62.00 " " W. Oak 13 in. dia. in the line.
80.00 Set a post for the cor. to sec. 14 & 15 J. N. H. A. R. No. 3 W.
from which a
Buck 10 in. dia. bears S 30 E. 13 miles dist; and a
Maple 10 in. dia. N 28 E. 30 in -
* On account of a tally being missed; same distance

I. N. 4 N.R. N. 277. 2nd Mer. (cont'd.)

South Boundary in part

- East On the South Boundary of sec. 30. I. N. 4. N.R. N. 277
 40.00 Set a Beech 11 in dia. stands for the cor. to 1/4 sec.
 64.00 Set a post for the cor. to sec. 30. I. N. 4. N.R. N.
 277. at the intersection on Framerie line. From this
 a Beech 10 in dia. bears S 60 E. 19 links west; to a
 Sugar 16 " " " N 60 W. 23 " "
 Lands fully graded soil; Smitw. Beech Oak & Poplar.

West On the South Boundary of sec. 31. I. N. 4. N.R. N.
 277. 2nd Mer.

- 40.00 To a Beech 8 in dia. stands for the cor. to 1/4 sec.
 80.39 To the post set for the cor. to sec. 1. C. 31. t 36. T. 3. R. 3.
 + 4. 14 N.R. N. 177. N

Lands and timber same near the last mile.

The above two lines Surveyed by
 Suppl. 1st Mer. and the re-
 mainder Surveyed by Arthur Henrie.
 Dept. Surv.

Subdivisions

- North Between Sub. 35, 136. I. N. 4. N.R. N. 277.
 27.50 To a Beech 20 in dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 18 in dia. bears S 74 E. 20 links west; and a
 Poplar 8 " " " N 54 W. 26 " "
 80.00 Set a post for the cor. to sub. 25, 26, 35 & 36. From which
 a W. Oak 10 in dia. bears S 37 W. 20 links west; to a
 Beech 12 " " " N 44 W. 24 " "
 This mile over hilly lands; Smitw. Oak, Hickory, Basswood.

East On a random line between Sub. 25, 136 & I. N. 4. N.R. N.
 277. 2nd Mer. For this line corners see the opposite page

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.00 Introduce the N. S. line 10 links south of the post set.
 for the cor. to Sub. 25, 136. Lands flat and timber same.

*

J. No 4. N.R. No 2 1/2 2nd Mar. (End)

- North Between Lst. 25, 126, J. No 4. N.R. No 2 1/2.
 7.75 Is a W. Oak 12 in dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 B. Oak 28 in. dia. bears S 33 E. 21 miles west; to a
 Beech 12 in. n n S 48 W. 17 n n
 80.00 Set a post for the cor. to Lst. 23, 24, 25, 126, J. No.
 4. N.R. No 2 1/2. From which a
 Gum 12 in dia. bears S 67 E. 16 miles west; and a
 Do 10 n n N 18 E. 8 n n
 This will over very hilly land; some cliff of rocks

- East On a random line between Lst. 24, 125, J. No 4. N.
 R. No 2 1/2. 2nd Mar.
 40.00 Set a temp'y post for the cor. to 1/4 sec.
 80.00 Intersect the N & S line at the post set for the cor. to
 Lst. 24, 125, J. No 4. N.R. No 2 1/2.
 Goods good for farming; N.S. Spur.

- West On the tree line between Lst. 24, 125, J. No 4. N.R. No 2 1/2.
 40.00 Set the temp'y post at the ave. dist in the tree line
 for the cor. to 1/4 sec. from which a
 Beech 12 in dia. bears N 72 W. 13 miles west; to a
 Dogwood 6 n n N 34 E. 20 n n
 80.00 To the post set for the cor. to Lst. 23, 24, 25, 126.

- West On the tree line between Lst. 25, 136, J. No 4. N.R. No 2 1/2.
 40.20^{1/2} Set the temp'y post at the ave. dist in the tree line for the
 cor. to 1/4 sec. from which a
 Beech 12 in dia. bears N 36 E. 36 miles west; and a
 Do 8 n n n S 16 W. 10 n n
 80.41 To the post set for the cor. to Lst. 25, 26, 35, 136.

- North Between Lst. 23, 124, J. No 4. N.R. No 2 1/2.
 7.25 Is a Poplar 20 in dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 12 in dia. bears S 74 W. 15 miles west; and a

T. N^o 4. N.R. N^o 2772 2nd Mar. (Cont'd.)

- Maple 12 in. dia bears N69°E. 18 links dist;
 47.10 To a W. Oak 20 in dia. Stand on the line.
 80.00 Set a post for the cor. to sec. 13. 14. 23, & 24 from which
 a W. Oak 24 in. dia. bears N26°E. 38 links dist; to a
 W. Oak 20 in. dia. N45°E. 43 in.
 Description of Lands omitted (N. 9) Soil omitted

East On a Random line between Sec. 13. & 24. T. N^o 4. N.
 R. N^o 2772

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 80.10 Introduce the N. 13 line. 29 links South of the post set
 for the cor. to sec. 13. & 24. T. N^o 4. N.R. N^o 2772
 very good farming land; 119 bush.

West On the true line between Sec. 13. & 24. T. N^o 4. N.
 R. N^o 2772

- 40.05 Set the temporary post at the aver. dist. on the true line.
 for the cor. to 1/4 sec. from which a
 Sugar 10 in. dia. bears N10°W. 11 links dist; made a
 Buck 10 in. dia. S21°E. 37 in.
 80.10 To the post set for the cor. to Sec. 13. 14. 23. & 24.

North Between Sec. 13. & 14. T. N^o 4. N.R. N^o 2772

- 11.25 To a W. Oak 20 in dia. Stand in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. bears S22°E. 16 links dist; to a
 Sugar 18 in. dia. S87°W. 14 in.
 54.00 To a sugar 12 in. dia. Stand in the line.
 80.10 Set a post for the cor. to Sec. 11. 12. 13. & 14 from
 which a Buck 12 in. dia. bears S43°E. 12 links dist
 made on Elm 15 in. dia. N37°W. 13 in.
 Lands soil and timber same as in the last mile.

East On a Random line between Sec. 12. & 13. T. N^o 4.
 N.R. N^o 2772

- 40.00 Set a temporary post for the cor. to 1/4 sec.

I. N. 4. N.Y.R. No 2772 2nd Mar. (Cont'd.)

80.00 Set a post between the N & S line 30 miles south of the post set for the cor. to Sec. 12, & 13. Over land rich, farming lands. Under growth Elm.

West On the true line between Sec. 12, & 13. I. N. 4 N. R. No 277.

40.00 Set the temporary post at the arm. dist on the true line from the cor. to $\frac{1}{4}$ sec. From which a
Cypress 10 in dia. bears S 37 W. 6 miles dist; and a
Sugar 10 in in in N 42 W 16 in in
80.00 To the post set for the cor. to Sec. 11, 12, 13, & 14.

North Between Sec. 11, & 12. I. N. 4. N.Y.R. No 277.

30.00 Set a post on the Left Bank of White River for the cor. to Grd. Sec. 11, & 12. From which a
Big Buck 8 in. dia. bears S 25 W. 41 miles dist;
Land so soil and timber same as on the last mile.

West On the true line between Sec. 12, & 13. I. N. 4. N.Y.R. No 277.

5.10 To a Poplar 24 in dia. stands in the line
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
W. Oak 30 in dia. bears N 12 E. 11 miles dist; and a
Cypress 10 in in in N 69 W. 26 in in

48.25 To a Buck 10 in dia. Stand for the cor. to Grd. Sec.
1, & 13 on the Left Bank of White River.
Land so soil and timber same as on the last mile.

North Between Sec. 34, & 35. I. N. 4. N.Y.R. No 277.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. From which a
Poplar 10 in dia. bears N 53 W. 10 miles dist; &
W. Oak 30 in in in N 10 E. 47 in -

80.00 Set a post for the cor. to Sec. 26, 27, 34, & 35 from which
a Buck 12 in. dia. bears S 74 W. 13 miles dist; and a
D. 15 in in in N 45 E. 39 in -
Over very hilly lands; thin soil.

I. N° 4. N. R. N° 277. 2nd Mer. (Ind.)

- East On a random line between Sec. 26 & 35. I. N° 4. N.
R. N° 277. 2nd Mer.
- 40.00 Set a temp. post for the cor. to 1/4 sec.
80.40 Into section the N. 18 line 20 miles. South of the post
set for the cor. to sec. 25, 26, 35 & 36.
Lando soil and timber same as in the last mile.

- West On the true line between Sec. 26, 135. I. N° 4. N. R. 277.
- 40.20 Set the temp. post at the even dist. on the true line fr.
the cor. to 1/4 sec. From which a
Buck 20 m dia. has N67 E 19 miles dist; and a
Gum 15 " " " S89 E. 35 " "
80.40 To the post set for the cor. to sec. 26, 27, 34 & 35.

- North Between Sec. 26 & 27. I. N° 4. N. R. N° 277.
- 40.00 Set a post for the cor. to 1/4 sec. From which a
Sugar 10 m dia. has N3 N. 26 miles dist; and a
Buck 20 " " " N64 E. 28 " "
40.00 To a spring, lower East.
80.00 Set a post for the cor. to sec. 22, 23, 26 & 27 from which
a Hick 10 m dia. has N17 N. 54 miles dist; to
Buck 20 " " " N12 N. 33 " "
Lando soil and timber same as in the last mile.

- East On a random line between Sec. 23 & 26. I. N° 4. N. R. N.
R. N° 277. 2nd Mer. Ind.
- 40.00 Set a temp. post for the cor. to 1/4 sec.
80.35 Into section the N. 18 line 12 miles. South of the post set
for the cor. to sec. 23, 24, 26, 25;
Lando soil and timber same as in the last mile.

- West On the true line between Sec. 23 & 26. I. N° 4. N. R. N.
R. N° 277. 2nd Mer. Ind.
- 40.17p Set the temp. post for the cor. to 1/4 sec. At the even dist.
on the true line from which a
Buck 10 m dia. has S83 N. 15 miles dist; to

S. N^o 4. N. R. N^o 277. 2nd Mer. Ind.

ch. ch.

Buck 12 in dia. trns N34 E. 16 miles west
80.35 To the first lot for the cor. to Ls. 22, 23, 26, & 27.

North Between Ls. 22, 123. S. N^o 4. N. R. N^o 277.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 in dia. trns S23 E. 11 miles west, and a
Do 12 n n S73 W. 10 n n

80.00 Set a post for the cor. to Ls. 14, 15, 22, & 23. From which
a Buck 20 in dia. trns N56 E. 7 miles west, and a
Do 13 n n S78 E. 7 n n

Our good farming lands; Timew Buck, Oak, &
Hickory Mtn Spring.

East Between Ls. 14, & 23. On a random line. S. N^o 4. N. R. N^o 277.

N. P. 277.

40.00 Set a post for the cor. to 1/4 sec.

80.00 Intermediate the N. & S. line 10 miles North of the post
set for the cor. to Ls. 13, 14, 23, & 24.

Land soil and timber same as on the last mile.

West On the true line between Ls 14 & 23. S. N^o 4. N. R. N^o
277. 2nd Mer.

40.00 Set a post temp. at the arm east on the true line for
the cor. to 1/4 sec. from which a
W. Walnut 10 in dia. trns N89 E. 42 miles west, and a
Buck 12 n n S46 E. 13 n n
80.00 To the post set for the cor. to Ls. 14, 15, 22, & 23.

North Between Ls. 33, & 34. S. N^o 4. N. R. N^o 277.

12.50 To a spring branch 4 miles west, Limestone Mtn.

40.00 Set a post for the cor. to Ls. 27. From which a
Buck 6 in. dia. trns S27 W. 12 miles west, to a
W. Oak 20 n n East 12 n n

80.00 Set a post for the cor. to Ls. 27, 28, 33, & 34 from
which a Buck 10 in dia. trns N40 E. 11 miles west
and a Do 10 n n S25 E. 31 n n

J. N. 4. N. R. N. 277. 2nd Mer. (Ind.)

This mile over very hilly land; timber Buck & Oak.

East On Random line between Lst. 27.034 J. N. 4. N.
N. 277.

- 20.00 To a spring; bearing North.
40.00 Set a temp'y post for the cor. to $\frac{1}{4}$ sec. of
79.81 Intersected the N. S. line 12 miles South of the post
set for the cor. to Lst. 26. 27. 33.035
Soil and timber same as on the last mile.

West On the true line between Lst. 27.034 J. N. 4. N. R. N.
277. 2nd Mer. Ind.

- 39.90 Jr. Set the temp'y post at the cor. set with true line
for the cor. to $\frac{1}{4}$ sec. from which
Bear 10 m. due East 141 E. 23 miles west; to
Do 10 n n n 175 E. 11 n n
79.81 To the post set for the cor. to Lst. 27.28. 33.034.

North Between Lst. 27.038 J. N. 4. N. R. N. 277.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Wick 10 m. due. bears 111 E. 21 miles west; to
Buck 10 n n n 142 N. 8 n n
80.00 Set a post for the cor. to Lst. 21. 22. 27.128 from which
a W. Oak 20 m. due. bears 144 N. 43 miles west; to
Birch 15 n n n 185 E. 49 n n
Soil and timber same as on the last mile.

East On Random line between Lst. 22.027 J. N. 4. N. R.
N. 277.

- 22.00 To a Brook 10 miles west; bearing N. E.
40.00 Set a temp'y post for the cor. to $\frac{1}{4}$ sec.
80.00 Intersected the N. S. line 12 miles South of the post
post set for the cor. to Lst. 26. 27. 22. 123.
Soil and timber same as on the last mile.

West On the true line between Lst. 22. 027. J. N. 4. N. R. N. 277

T. R. H. N. R. No. 277. 2nd Rec. Ind.

- 40.00 To a Sugar 12 in. dia. which stands at the corner
of the true line for the cor. to 1/4 sec.
80.00 To the post lot for the cor. to Sec. 21, 22, 27, & 28.
* The lines between Sec. 21 & 22; & 25 & 26 now omitted here;
North Between Sec. 14. & 15. T. R. H. N. R. No. 277.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 8 in dia. bears N 44° W. 12 miles west, and a
Beech 10 in. n. n. A 37 E. 13 in. n.
This post stands on the cliffs of Rocke.
43.82 Set a post on the Left Bank of N. River for the
cor. to fract. Sec. 14. & 15. from which a
Sugar 12 in dia. bears N 27° E. 8 miles west, and a
Sycamore 24 in. n. A 82 E. 10 in.
Sand soil and timber same as in the last mile.

- West On the true line between Sec. 11. & 14. T. R. H. N. R. No. 277.
40.00 Set a post for the cor. to 1/4 sec. on the true line from which
a Sugar 10 in. dia. bears N 44° E. 12 miles west; to
Beech 10 in. n. n. A 89 W. 21 in. n.
46.50 Set a post on the Left Bank of N. River for the cor.
to fract. Sec. 11. & 14. from which a
Sugar 8 in. dia. bears N 54° W. 13 miles west, and a
Beech 12 in. n. n. A 76 E. 24 in. n.
Sand soil and timber same as in the last mile.

- North Between Sec. 15. & 16. T. R. H. N. R. No. 277.
23.95 To a Poplar 30 in. dia. stands on the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Dogwood 6 in. dia. bears S 57° W. 3 banks dish; to
Beech 6 in. n. n. A 49 E. 7 in. n.
80.00 Set a post for the cor. to Sec. 9. 10. 15 & 16. from which
a Sugar 12 in dia. bears S 64° E. 11 banks dish; to
Beech 10 in. n. n. A 29 W. 10 in. n.
Sand soil and timber same as in the last mile.

- North Between Sec. 9. & 10. T. R. H. N. R. No. 277.

T. N° 4. N. R. N° 2 M. 2nd (Ind.)

39.71 Set a post in the Left Bank of M. River. for the
cn. fr. fr. S. W. 9. 210. From which
Beech 10 in. dia. bears N 59° W. 10 miles west to
Do 6 n n n S 37° E. 9 n n

North Between Ls. 32. 133. T. N° 4. N. R. N° 2 M.

40.00 Set a post for the cn. to 1/4 sec. From which
W. Oak 12 in. dia. bears N 46° W. 10 miles west to
W. Oak 24 n n ~ N 39° E. 16 n ~

80.00 Set a post for the cn. to Ls. 28. 29. 32. 133. From which
a Beech 10 in dia. bears N 25° E. 42 miles west to
Poplar 9 n n ~ S 62° W. 18 n ~

East On a Random line between Ls. 28. 133. T. N° 4. N.
R. N° 2 M. 2nd M.

40.00 Set a temporary post for the cn. to 1/4 sec.

80.39 Intercepted the N. & S. line at the first set for the cn.
Ls. Ls. 27. 28. 33. & 34.
Soil sand and timber same across the last mile.

West On the true line between Ls. 28. 133. T. N° 4. N. R.
N° 2 M. 2nd M.

40.19^{1/2} Set the temporary post at the abov. dist on the true line for
the cn. to 1/4 sec. From which a
Beech 30 in dia. bears N 23° E. 23 miles west to
Do 10 n n n S 30° E. 18 n ~

80.39 To the first set for the cn. to Ls. 28. 29. 32. 133.

North Between Ls. 28. & 29. T. N° 4. N. R. N° 2 M.

40.00 Set the post for the cn. to 1/4 sec. From which a
Beech 16 in dia. bears N 15° E. 45 miles west to
W. Oak 36 n n ~ S 47° W. 23 n ~

78.00 To a Spring: Lemon Creek

80.00 Set a post for the cn. to Ls. 20. 21. 28. 133. From which
a Beech 8 in. dia. bears N 3° W. 45 miles west to
Do 10 n n n N 73° E. 20 n ~

I. N. 4. N. R. N. 2 M. 2nd M. (cont'd.)

- East** On a Random line between Ls. 21.128 I. N. 4. N.
R. N. 2 M.
- 40.00 Set a temporary post for the car. to $\frac{1}{4}$ mi.
- 80.50 Intercepted the N. & S. line at the post set for the car. to Ls.
21.22, 27. & 28. Lands very hilly; timber same as last mile
-

- West** On the town line between Ls. 21.528 I. N. 4. N. R. N.
R. N. 2 M. 2nd M.
- 40.25 Set the temporary post at the ave. dist. on the town line.
For the car. to $\frac{1}{4}$ mi. from which a
Beech 12 in. dia. bears 822 E. 3 miles west to
W. Oak 11 in. " 87 E. 14 " "
- 80.50 To the post set for the car. to Ls. 20. 21. 28. & 29.
-

- North** Between Ls. 20. & 21. I. N. 4. N. R. N. 2 M.
- 40.00 Set the post for the car. to $\frac{1}{4}$ mi. from which a
Beech 12 in. dia. bears 114 E. 50 miles west to
Rocky 12 " " 82 E. 16 " "
- 80.00 Set a post for the car. to Ls. 16. 17. 20. & 21. From which
a W. Oak 20 in. dia. bears 821 N. 19 miles west to
Do. 15 " " 861 N. 43 " "
Lands rolling; timber soil and W. G. same
-

- East** On a Random line between Ls. 16. & 21. I. N. 4.
N. R. N. 2 M.
- 40.00 Set a post temporary for the car. to $\frac{1}{4}$ mi. from which a
80.00 Intercepted the N. & S. line 45 miles North of the
post set for the car. to Ls. 15. 16. 21. & 22.
Lands soil and timber same as last mile.
-

- West** On the town line between Ls. 16 & 21. I. N. 4. N. R.
N. 2 M.
- 40.00 Set the temporary post at the ave. dist. on the town line
for the car. to $\frac{1}{4}$ mi. from which a
W. Ash 10 in. dia. bears 846 E. 28 miles west to
W. Oak 20 " " 829 N. 34 " "

S.P. 4. N.R. N. 2 W. 2nd Mer. Secd.

80.00 To the post set for the cor. to sec. 16, 17, 20, & 21

- North Between Sec. 16, & 17. S.P. 4. N.R. N. 2 W.
 27.00 To a Brook 10 miles west, same West
 30.00 To a Brook 10 " " " " S.W.
 40.00 Set a post for the cor. to sec. 14 sec. from which a
 B. Walnut 12 in. dia. base N 28 E. 3 miles west
 Buck 10 " " " " N 61 W. 33 " "
 80.00 Set a post for the cor. to sec. 8, 9, 16, & 17 from which a
 W. Oak 20 in. dia. base S 77 W. 58 miles west; to
 Dogwood 6 " " " " N 62 W. 5 " "
 Sand soil and timber same as on the last mile.

- East On a Random line between Sec. 9, & 16. S.P. 4. N.R.
 N. 2 W. 2nd Mer.
 40.00 Set a post for the cor. to sec. 14 sec. (temp. 5)
 79.00 Intersected the N & S line at the post set for the cor.
 to sec. 9, 10, 15, & 16. S.P. 4. N.R. N. 2 W.
 Sand soil and timber same as on the last mile.

- West On the true line between Sec. 9, & 16. S.P. 4. N.R. 2 W.
 39.50 Set the temp. 5 post at the arm. dist. on the true line
 from the cor. to sec. 14 sec. from which a
 Sugar 12 in. dia. base N 81 E. 7 miles west; to
 Buck 8 " " " " C 38 W. 22 " "
 79.00 To the post set for the cor. to sec. 8, 9, 16, & 17.

- North Between Sec. 8, & 9. S.P. 4. N.R. N. 2 W.
 40.00 Set a post for the cor. to sec. 14 sec. from which a
 Buck 10 in. dia. base C 44 W. 35 miles west; to
 R. 8 " " " " N 15 W. 31 " "
 61.00 Set a post on the left bank of N. River. On the
 cor. to sec. 8, & 9. S.P. 4. N.R. N. 2 W. from which
 Sugar 8 in. dia. base S 26 E. 5 miles west; and a
 B. y. Elder 8 " " " " N 16 W. 20 " "
 Sand soil, timber Buck, Oak, Hickory.

T. N. 4. N. H. N. 9. P. 2nd Mer. Ind.

- East On a tree line between Sec. 10. & 15. T. N. 4. N. H. N. 9. P. 2nd Mer. Ind.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. on the tree line from which a
Buck 10 in dia. bears N 89° W. 31 miles dist; to
Rd. 9 n n — N 81° E. 4 n n
- 67.50 Set a post on the Left B. bank of White River. On the
cor. to sec. 10. & 15. From which a
Sugar 10 in. dia. bears S 54° E. 7 miles dist; to
Buck 12 n n — N 15° W. 20 n —
Same goods for farming; same distance as last mile

- North Between Sec. 31. & 32. T. N. 4. N. H. N. 9. P. 2nd
- 32.00 Track Brook 10 miles dist; Lower S. P.
- 34.10 n n N. Oak 24 in. dia. stands in the line.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
B. Walnut 30 in dia. bears S 23° E. 16 miles dist; to
Buck 12 n n — N 43° W. 10 n n
- 67.80 Track Brook 20 in dia. stands in the line.
- 80.00 Set a post for the cor. to Sec. 29. 30. 31. & 32. From which
a Hickory 10 in dia. bears N 77° E. 15 miles dist; to
Sugar 12 n n — S 67° N. 32 n n
Over my Billy Ledges; same as last mile

- East On a random line between Sec. 29. & 32. T. N. 4.
N. H. N. 9. P. 2nd
- 40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec.
- 80.95 Intersects the N. & S. line 20 miles North of the Post
set for the cor. to Sec. 28. 29. 30. 133.
Same post made timber same as the last one.

- West On the tree line between Sec. 29. & 32. T. N. 4. N. H. N. 9. P.
No. 2nd Mer.
- 40.44th Set the temp. post at the cor. dist. on the tree line
on the cor. to $\frac{1}{4}$ sec. from which a
Hogwood 6 in dia. bears N 68° E. 12 miles dist; to
Poplar 30 n n — S 43° N. 9 n n
- 80.95 To the post set for the cor. to Sec. 29. 30. 31. 132.

I. N. 4. N. R. No. 277. 2nd M. (Ind.)

- North Between Ls. 29, 30 J. N. 4. N. R. No. 277.
- 11.50 To a Spring; Conus S.M.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Dogwood 6 in dia. base S. 3 W. 47 miles dist; to
Beech 8 in. n. — S. 22 E. 36 n. —
- 61.25 To where a Large Spring makes its appearance in
in a Shrub Rock
- 80.00 Set a post for the cor. to Ls. 19, 20, 29, & 30 from which
a Sugar 10 in dia. base S. 3 E. 37 miles dist; to
Do. 20 n. — N. 19 W. 8 n. —
Ground soil and timber same as in the last mile.

- East On a Random line between Ls. 29 & 30 J. N. 4. N. R. No. 277.
- 40.00 Set a post (temp) for the cor. to 1/4 sec.
- 78.00 To a Brook 20 miles west; Conus N. W.
- 81.00 Intersects the A. to S. line 30 miles North of the post set for
the cor. to Ls. 20, 21, 28 & 29. J. N. 4. N. R. No. 277.
Ground soil and timber same as in the last mile.

- West Only true line between Ls. 20 & 29 J. N. 4. N. R. No. 277.
- 40.50 Set the temporary post at the cor. dist on the true line
for the cor. to 1/4 sec. from which a
Hickory 8 in. dia. base S. 73 W. 35 miles dist; to
Do. 8 n. — N. 12 E. 38 n. —
- 81.00 To the post set for the cor. to Ls. 19, 20, 29 & 30

- North Between Ls. 19 & 20. J. N. 4. N. R. No. 277.
- 40.00 Set the post for the cor. to 1/4 sec. from which a
Beech 15 in dia. base S. 40 E. 13 miles dist; to
Do. 15 n. — S. 42 W. 18 n. —
- 80.00 Set a post for the cor. to Ls. 17, 18, 19 & 20. From which
a sugar 12 in. dia. base S. 50 E. 5 miles dist; to
Beech 10 n. — S. 61 W. 16 n. —
This mile over very high hills and rocks.

- East On a Random line between Ls. 17, 18, 19, 20 J. N. R. No. 277

I. N. H. N. R. No 277. 2nd Mer. (Cont'd.)

- 40.00 Set a post (temp. 67) for the cur. to $\frac{1}{4}$ sec.
 81.86 Intersected the N.E.S line of the first lot for the cur. to Sec. 20. 21 16. & 17. Lando goods; W. G. Smith timber same as on the last mile.

- West On the town line between Sec. 17. & 20. I. N. H. N. R. No 277.
 40.93 Set the temp. post for the cur. to $\frac{1}{4}$ sec. at the cur. dist on the town line from which a
 Buck 20 in dia. bears S87W. 5 miles north; and a
 Dogwood 5 in. " S85E. 9 " "
 81.96 To the first lot for the cur. to Sec. 17. 18. 19. 20.

- North Between Sec. 17. & 18. I. N. H. N. R. No 277.
 11.50 To a Brook 8 miles mid; Lemoore West.
 40.00 Set a post for the cur. to $\frac{1}{4}$ sec. from which a
 Buck 10 in. dia. bears N66E. 7 miles south; and a
 Cedar 8 in. " " S28E. 10 " "
 55.50 To a Brook 15 miles mid; Lemoore West.
 80.00 Set a post for the cur. to Sec. 7. 8. 17. 18. From which a
 Buck 20 in. dia. bears S83W. 19 miles north; to
 Ajo 20 in. " " N82E. 24 " "
 This mile over good farming lands; Timber Buck
 Oak, Poplar, &c.

- East On the town line between Sec. 8 & 17. I. N. H. N. R. No 277. 2nd Mer.
 40.00 Set a temp. post for the cur. to $\frac{1}{4}$ sec.
 80.00 Intersected the N.E.S line 20 miles South of the
 Post set for the cur. to Sec. 8. 9. 16. & 17.
 Lando soil and timber same as on the last mile.

- West On the town line between Sec. 8 & 17. I. N. H. N. R. No 277.
 40.00 Set the temp. post at the cur. post on the town line
 for the cur. to $\frac{1}{4}$ sec. from which a
 W. Oak 12 in. dia. bears N49E. 4 miles south to
 Ajo 12 in. " " S79W. 16 " "

I. N° 4. N.R. N° 2.M. 2nd Pur. (Ind.)

8.000 To the post for the cor. to Lev. 7. 8. 17. 18

North Between Lev. 7. 8. I. N° 4. N.R. N° 2.M.
40.00 Set a post on the cor. to 1/4 mi. from which a
Bush 12 in. dia. tree N44° E. 15 miles dist; to
10 8 in. n. — \$38 77. 8 in. —
48.00 Set a post for the cor. to Lev. 7. 8. on the left.
Bank of N. River from which a
Sugar 12 in dia tree \$4 E. 60 miles dist; to
Sugar 15 in. n. — \$45 77. 37 in. —
Sand soil and timber same as on the last mile.

West Between Lev. 7. 8. 18 I. N° 4. N.R. N° 2.M.
9.00 To a large Spring; comes from
37.75 To a Bush 20 in dia. stands on the line
40.00 Set a post for the cor. to 1/4 mi. from which a
Bush 12 in dia tree N49° E. 32 miles dist; to
Blackberry 12 in. n. — \$62 77. 13 in. —
57.33 Set a post on the left Bank of White River on the cor. to
Gray. Lev. 7. 8. 18 from which a
Sugar 12 in dia tree \$46 77. 4 miles dist; to
10 12 in. n. — \$48 82. 22 in. —
Over good land; timber Bush, Ash, Sugar, & Black
berry. All same as on the last mile.

West Between Lev. 18. 19. I. N° 4. N.R. N° 2.M.
33.75 To a Poplar 29 in dia stands on the line.
40.00 Set a post for the cor. to 1/4 mi. from which a
Bush 20 in dia tree \$89 E. 23 miles dist; to
10 10 in. n. — \$43 77. 5 in. —
63.00 Set a post on the left Bank of N. River on the cor.
to Gray. Lev. 18. 19. from which an
Oak 10 in dia tree N55° E. 7 miles dist; to
Sugar 6 in. n. — \$53 77. 7 in. —
Sand soil and timber same as on the last mile
I. N° 4. N.R. N° 2.M. 2nd Pur. Ind.

185

J. N. H. M. R. No. 2 W. 2nd Mer. (Ind.)

West On the town line between Sec. 19 & 30 J. N. H. M. R. No. 2 W.

22.25 Top Brook 20 miles west; Comma N.W.
40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 15 in dia. base \$26 E. 23 miles west to
Wright 12 in n. n. 121 W. 23 n. n.

49.00 Set a post on the left Bank of White River for the
cor. to Sec. 19 & 30 from which a
Sugar - in dia. base \$71 E. 32 miles west; 12 in
Poplar Canyon ... \$87 E. 28 n. n.
Lands along hills; same as on the last mile.

West Between Sec. 30 & 31 J. N. H. M. R. No. 2 W.

6.25 To a Spring; Comma North.

40.00 Set a post for the cor. to 1/4 sec. from which a
Poplar 6 in dia. base \$78 W. 10 miles west; to
Poplar 20 in n. n. \$54 W. 14 n. n.

80.19 Intersected the West Boundary of J. N. H. M. R. No. 2 W.
172 miles N. of the post set for the cor. to Sec. 25 & 36.
J. N. H. M. R. No. 3 W. and set a post for the cor. to
Sec. 30 & 31 J. N. H. M. R. No. 2 W. from which a
Buck 12 in. dia. base \$36 W. 13 miles west; to
No. 20 in n. n. \$62 W. 32 n. n.

North Between Sec. 21 & 22 J. N. H. M. R. No. 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 10 in dia. base \$3 W. 58 miles west; to
No. 12 in n. n. \$28 W. 38 n. n.

41.50 To a Spring branch, Comma \$12 E.

80.00 Set a post for the cor. to Sec. 15, 16, 21 & 22. From which
a Buck 18 in. dia. base \$10 E. 38 miles west; to
No. 12 in n. n. \$35 W. 14 n. n.
Lands lie over very high hills & many rocks

East On a random line between Sec. 15, 18, 19, J. N. H.
M. R. No. 2 W. 2nd Mer. Ind.

T. N. 4. N. R. N. 2. S. 7. D. M. D. M. (Sud.)

- 40.00 Set apart for the cor. to $\frac{1}{4}$ ac. (temp. 7) 1
 79.13 Intersected the N. S. line 81 links South of the first
 set for the cor. to Sec. 14. 15. 22. 183. Over good farm-
 ing lands.

- West On the town line between Sec. 15 & 20 T. N. 4 N. R. 2 W.
 39.56 p Set the temp. post at the corner with the town line
 for the cor. to $\frac{1}{4}$ ac. from which a
 Poplar 39 in dia. bears S 88 E. 121 links west
 79.13 To the post set for the cor. to sec. 15. 16. 21 & 22.

- East On the town line between Sec. 19 & 30. T 4 R 2 W
 25.30 Set a post on the River Bank for the cor. of sec. 19 & 30
 from which a Beech 8 in. dia. bears N 25 W. 6 1/2 a.
 Llo. 12, " " \$60 W. 19 Mer. chish
 Sand hill and rock, timber Poplar, Beech,
 Sycamore & Ash

- East On the town line between Sec. 18 & 19. T 4 R 2 W
 8.00 To a Hackberry 12 in. dia. for cor. of sec. 18 & 19
 with River Bank

- East Between Sec. 7 & 18 T. 4. N. R. 2 W.
 21.17 To an Elmwood 10 in. dia. stands for cor. on
 the River for sec. 7 & 18.
 Sand hill;

- South Between Sec. 5 & 6 T. 4 N. R. 2 W
 4.00 Set a $\frac{1}{4}$ ac. post from which a
 Sugar Q. in. dia. bears N 69 E. 4 links west; 8 a.
 M. Oak 10, " " \$178.16 " "
 80.00 Set a post for the cor. of sec. 5. 6. 7 & 8 from which
 a Beech 12 in. dia. bears N 49 E. 13 links west; 8 a.
 Llo. 10, " " \$66 E. 13 " "
 Sand hill; timber Beech, Ash, Oak, & Hickory.

T. N^o. 4 N.R. N^o. 3 W. 2nd Mus Ind.

West Between Sec. 6^{1/2}

- 40.00 Set gr. Sec. post from which
a Sugar 10 in. diam. bran N 56° W 2^{1/2} lbs. dist. of
a Do. 8 " " 159 E 13 "
- 75.50 Intersected W. boundary 5.40 lbs. N. of post
Set post Cor. to Sec. 6^{1/2}, from which
a Beech 8 in. diam. bran N 46° W 12 lbs. dist. of
a Do. 18 " " 117 E 26 "
Land timber &c. same as on the last mile

South Between Sec. 7^{1/2}

- 13.00 a Brook 8 lbs. wide Course West
31.00 Set Meander post on right bank of river, from which
a Beech 10 in. diam. bran North 12 lbs. dist. of
a Do. 10 " " 136 E 17 "
(description of Land &c. Omitted)

South Between Sec. 4^{1/2}

- 40.00 Set gr. Sec. post, from which
a Beech 10 in. diam. bran 159 W 33 lbs. dist. of
a Dogw. 6 " " N 30 E 19 "
80.00 Set post Cor. to Sec. 4, 5, 8^{1/2}, from which
a Beech 10 in. diam. bran 159 W 19 lbs. dist. of
a Sugar 12 " " N 19 W 17 "
Land rich & rolling

West On Rand. between Sec. 5^{1/2}

- 40.00 Set temp. gr. Sec. post
65.00 a Brook 10 lbs. wide Course South
80.00 Intersected the N.H. S. line 10 lbs. N. of post
Land timber &c. same as on the last mile

East Corrected between Sec. 5^{1/2}

- 40.00 Set gr. Sec. post on true line, from which
an Ash 8 in. diam. bran 140 W 14 lbs. dist. of
a Beech 7 " " 181 E 17 " .
80.00 to Sec. corner.

L.V.R.R. W. 2^d Mer. Indiana

ch. th.
South Between Sec. 8 & 9

- 5.10 at Beech 10 in. diam.
20.00 set meander post on right bank river from which
a Sycamore 10 in. diam. bran. N 19° W 14 lbs. dist. of
a Beech 10. " N 15° W 20 " "
Sand rich, timber Beech & Sycamore
-

South Between Sec. 3 & 4

- 40.00 set gr. sec. post from which
a Sycamore 10 in. diam. bran. N 15° W 18 lbs. dist. of
a No. 8 " " N 45° E 20 " "
57.00 at Brook 18 lbs. wide course NW
80.00 set post cor. to Sec. 3, 4, 9 & 10, from which
a Beech 10 in. diam. bran. N 74° W 31 lbs. dist. of
an Ironwood? 7 " " N 77° W 9 " "
Sand rolling and rich
-

West Between Sec. 4 & 9

- 23.20 at Brook 18 lbs. wide course South
40.00 set gr. sec. post, from which
a Beech 10 in. diam. bran. N 29° W 10 lbs. dist. of
a No. 12 " " N 45° E 20 " "
46.79 set meander post on right bank of river on East
side of Bend, from which
a Sycamore 10 in. diam. bran. N 38° W 13 lbs. dist. of
a No. 10 " " N 32° W 7 " "

East Between Sec. 4 & 9, from cor. to Sec. 4, 5, 8 & 9

- 11.26 set meander post on right bank of River on
West side of Bend, from which
a Sycamore 10 in. diam. bran. N 88° W 30 lbs. dist. of
a Beech 8 " " N 58° W 28 " "
Sand timbered. Same as on the last mile
-

South Between Sec. 9 & 10

- 40.00 set gr. sec. post on right bank of river, from which
an Ash 10 in. diam. bran. N 51° E 17 lbs. dist. of
a W. Oak 12 " " North 20 " "
Sand timbered. Same as on the last mile

189

St. R. D. W. 2nd Mer. Indiana

ch. lly.

South Between Sec. 2 & 3

- 40.00 Set gr. Sec. post, from which
a Hackberry 10 in. diam. bran N 22° W 16 lbs. dist. of
a Walnut 8 " " N 35° E 18 "
- 80.00 Set post cor. to Sec. 2, 3, 10 & 11, from which
a Beech 8 in. diam. bran N 72° W 12 lbs. dist. of
a Do. 8 " " N 70° E 14 "
- (description of Land &c. Omitted)
-

West On Rand. between Sec. 3 & 10

- 40.00 Set temp. of. Sec. post
80.00 Intercepted the N. of S. line 12 lbs. S. of post
Land the same, rich and rolling, timber Poplar
Beech, Walnut and Ash &c.
-

East On true line between Sec. 3 & 10

- 40.00 Set gr. Sec. post on true line, from which
a Sugar 12 in. diam. bran N 64° W 24 lbs. dist. of
a Beech 20 " " N 39° W 11 "
- 80.00 to Sec. Corner
-

South Between Sec. 10 & 11

- 40.00 Set gr. Sec. post, from which
a W. Ash 10 in. diam. bran S 87° W 14 lbs. dist. of
a Beech 8 " " North 26 " "
63.00 a Brook 8 lbs. wide course West
80.00 Set post cor. to Sec. 10, 11, 14 & 15, from which
a Beech 12 in. diam. bran N 63° E 3 lbs. dist. of
a Do. 18 " " N 33° W 11 "
Land timber &c. same as on the last mile
-

West Between Sec. 10 & 15

- 3.71 Set meander post on right bank of river from which
a Beech 20 in. diam. bran N 14° E 16 lbs. dist. of
a Do. 24 " " N 85° E 36 "
-

South Between Sec. 14 & 15

S. N. R. R. W. D.^o Mer. Indiana
Ch. Ch.
16.32 to a sugar 10 in. diam. Cov. on River
(Right Bank)

East Between Sections 11 & 14

28.34 a Sycamore 30 in. diam. Meander post
on the Right bank of river
Sand rich, timber Beech, Poplar &c.

South Between Sec. 1 & 2

40.00 Set gr. Sec. post, from which
a Beech 6 in. diam. bran. S^o 6 E 8 lhr. dist. of
a Do. 10 " " " 158° W 17 " "
80.00 Set post Cor. to Sec. 1, 2, 11 & 12 from which
a Beech 10 in. diam. bran. N^{48° W} 22 lhr. dist. of
a Do. 12 " " " N^{40° E} 13 " "
Sand rich & rolling, timber Beech, Hackberry, Poplars.

West Rand between Sec. 2 & 11

40.00 Set tempy. gr. Sec. post
80.00 Intersected the N of S. line at the post
Sand timber &c. same as on the last mile

East On true line between Sec. 2 & 11

40.00 Set gr. Sec. post on true line, from which
a Beech 10 in. diam. bran. N^{55° W} 10 lhr. dist. of
a Do. 10 " " " 183° E 29 " "
80.00 to Sec. corner.

South Between Sec. 11 & 12

21.50 a Blackberry 12 in. diam.
36.00 Intersected a pond Course E^{77° W}.
40.00 gr. Sec. Cor. in the Pond
42.50 to South of the Pond
47.30 Set Meander post on right bank of river, from which
an Elm 10 in. diam. bran. S^{76° W} 18 lhr. dist. of
a sugar 12 " " " 160° E 15 " .
Sand timber &c. same as on the last mile.

Sept R.R.W. 2^d Mrs. Indiana 191

ch. th.

East Between Sec. 1 & 19

25.76 Let meander post on the river bank from which
a Beech 1/2 in. diam. bran. 14 ft 18 lbs. dist. to
a do. 7 " " " N61 ft 8 " "
Sand timber &c. same as on the last mile

Meander of the E. Fork of White River from post
in the W. boundary of T4 N. R2 W. thence upstream on
the Right bank

N70 E	11.00	in Sec. 30
N64 E	7.00	
N50 E	7.50	
<u>N35 E</u>	<u>5.47</u>	to line between Sec. 19 & 30

N16 E	6.50	in Sec. 19
-------	------	------------

N13 W	5.00	
-------	------	--

N32 W	16.75	
-------	-------	--

N40 W	14.50	
-------	-------	--

N47 W	5.50	
-------	------	--

N46 W	10.55	to post on Range line
-------	-------	-----------------------

From post in Range line W. side Sec 19 to
North side of bend - thence

N60 E	25.50	in Sec 18
-------	-------	-----------

N85 E	16.75	
-------	-------	--

N87 E	10.00	
-------	-------	--

N81 E	5.75	
-------	------	--

N49 E	7.50	
-------	------	--

N29 E	10.50	
-------	-------	--

N15 W	5.00	
-------	------	--

N44 W	30.00	
-------	-------	--

N36 W	8.00	a Spring
-------	------	----------

N36 W	13.50	
-------	-------	--

N40 W	9.50	
-------	------	--

N39 W	5.00	to line between Sec. 7 & 18
-------	------	-----------------------------

N31 W	9.50	(a Spring) In Sec. 7
-------	------	----------------------

N16W	8.50	
N12W	6.75	
N16W	22.00	
N32E	10.00	
N34E	19.50	
N55E	13.00	
S77E	6.50	
S60E	10.50	
S57E	9.50	
S61E	6.50	a Brook 5 ft. wide
S61E	6.00	
S57E	10.60	to line between Sect. 7 & 8
S60E	19.00	in Sec. 8
S71E	19.00	
S87E	25.00	
N48E	8.00	
N30E	28.00	
N45E	4.39	to line between Sect. 8 & 9
N25E	7.00	in Sec. 9
N28E	16.50	to line between Sect. 4 & 9
N28E	3.80	in Sec. 4
N49E	9.00	
S60E	12.50	
S32E	4.62	to line between Sect. 4 & 9
S34E	19.00	in Sec. 9
S24E	12.70	
S35E	6.00	a Brook 30 ft. wide
S35E	4.00	
S45E	5.00	
S75E	8.00	
N88E	14.20	to line between Sect. 9 & 10
N86E	17.50	in Sec. 10
S86E	14.00	
East	17.00	

S79 E	11.50	
S62 E	12.00	
S15 E	9.00	
S5 E	11.50	
<u>S11 E</u>	<u>12.93</u>	to line between Sec. 10 & 15
S15 E	10.00	in Sec 15
<u>S11 E</u>	<u>6.80</u>	to line between Sec. 14 & 15
S16 E	17.50	in Sec. 14
N33 E	22.50	
N50 E	15.50	
N78 E	5.00	
N71 E	21.00	
N2 W	5.50	
N21 W	10.50	
N29 W	19.50	
N24 W	6.00	
N32 W	14.25	
<u>N25 W</u>	<u>6.70</u>	to line between Sec. 11 & 14
N16 W	16.00	in Sec. 11
N6 E	12.00	
N63 E	8.50	
N86 E	26.50	
N89 E	15.00	
<u>N79 E</u>	<u>5.50</u>	to line between Sec. 11 & 12
East	13.00	in Sec. 12
N80 E	8.50	
N62 E	10.00	
N76 E	8.00	
<u>N9 W</u>	<u>33.45</u>	to line between Sec. 11 & 12
<u>N10 W</u>	<u>6.50</u>	(a Spring) in Sec. 1
N10 W	23.50	very high rocks
North	12.00	
N9 E	12.25	
N29 E	18.50	
N68 E	21.50	
<u>N80 E</u>	<u>7.50</u>	to N. boundary of S4N R2W

194

Lyon R.D.W. Ind. Mer. Indiana

S83E	8.00
S69E	6.00
S61E	8.23

to post on right bank in the Range line
between Range 1 & 2 West 2^d Mer

Meanders of the Left Bank of the East Fork of
White River, Down stream from post on Range line
between Range 1 & 2 West 2^d Mer

S44W	9.50	in Sec. 1
S71W	13.00	
S76W	12.50	
S55W	18.00	
S26W	17.00	
S5W	10.50	
S5E	9.00	
S13E	7.50	
S17E	15.00	
S7E	5.72	to line between Sec. 1 & 12

S7E	5.50	in Sec. 12
S10E	34.00	
S55W	14.00	
S69W	11.50	
S88W	15.50	to line between Sec. 11 & 12

S88W	16.00	in Sec. 11
S80W	37.50	
S5E	5.00	
S16E	7.73	
S22E	7.00	
S28E	5.00	to line between Sec. 11 & 14

Left Bank upstream from post on the
line between Range 3 & 3rd Mer. thence

N69E	11.00	in Sec. 30
N61E	10.75	
N35E	11.40	to line between Sec. 19 & 30

Sec R29 W. T. Mer. Indiana

195

N14E	12.00	in Sec. 19
N26W	15.00	to mouth of a Brook 30 lbs. wide
N45W	16.00	
N41W	32.00	
N5E	3.00	
N39E	7.50	
N60E	19.00	to line between Sec. 18 & 19

N68E	15.50	in Sec. 18
N84E	14.50	
S86E	15.00	to a very shallow place in the River river bottom stone
N32E	21.00	
N5W	9.24	
N40W	7.50	
N47W	13.50	
N40W	11.00	
N36W	9.50	
N43W	13.00	
N34W	5.00	to line between Sec. 7 & 18

N34W	8.50	in Sec. 7, S4 N. R29 W.
N21W	18.00	
N13W	21.00	
N21E	15.50	
N38E	10.00	
N52E	8.50	
N82E	3.00	
S65E	9.50	
S56E	14.50	
S65E	11.50	
S61E	16.50	to line between Sec. 7 & 8

S65E	20.00	in Sec. 8
S76E	14.50	
S85E	9.50	
East	19.00	

196

Sect. R2T2^W 2^d Mer. Indiana

N45E	9.50	
N29E	14.50	
N33E	9.50	to line between Sec. 8 & 9

N33E	31.50	in Sec. 9
S67E	4.00	
S38E	21.50	
S30E	22.00	
S49E	16.50	
S89E	17.50	
N86E	4.50	to line between Sec. 9 & 10

N86E	4.50	in Sec. 10
S88E	30.00	
N86E	14.50	
S74E	10.50	
S37E	5.00	
SME	6.00	
S6E	16.00	
S15E	11.50	to line between Sec. 10 & 15

S17E	5.00	in Sec. 15
S12E	15.00	
S20E	9.00	
S24E	4.50	<small>same course</small>
S24E	5.00	to line between Sec. 14 & 15

S32E	15.50	in Sec. 14
S34E	26.80	
N72E	22.00	to a Spring
N34E	9.00	to the mouth of a Brook 12 ft. wide
N25E	5.44	
N16W	8.00	
N26W	14.00	
N25W	6.75	

197

Lt. N. R. 2 W. 2^d Mer. Indiana

N 33^W 8.00

N 32^W 19.50

to the corner established on the East
of the River on the line between Sections

11 & 14, Lt. N. R. 2 W

Surveyed By Arthur Annie, D. S.

Compt

I Certify that the foregoing transcript of field notes
of Township N. Lt. N. Range N. D. W. D. Mendian
Indiana, has been compared with the original
notes in this Office, and found to be correct.
Surveyor General's Office
Cincinnati, Dec. 30th. 1839

C. S. Geair
Sur. Gen.